

PVC FOAM BOARD

Part I

SAFETY DATA SHEET

"Regulation on Safety Data Sheets on Hazardous Substances and Mixtures" and EC 1907/2006 (REACH) issued by the Ministry of Environment and Urbanization No. 29204 of 13 December 2014.

1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY / OWNER

1.1. Identification of the substance / mixture

Product's Trade Name PVC FOAM BOARD

Product code : 000000000020005335

Identified uses of the substance or mixture and non-recommended uses

Not recommended Use As a plate that can be processed in the advertising industry

Safety information form supplier information

Suppliers MABELSAN A.Ş.
Bahçelievler Mah. Adnan Menderes Blv. Maşallah Sk. NO:1-2 /Pendik
info@mabelsan.com.tr

Contact person Phone: 0216 305 01 62

1.4. Emergency telephone number

National Poison Information Center (ERA): 114 Emergency Medical Services: 112 Police: 155 Gendarmerie: 156

2 DANGEROUS DESCRIPTION

2.1 Classification of substance and mixture

Classification (27092 T.C.)

Physical and chemical hazards -

Human health -

environment Not classified.

Classification (T.C 28848/2013)

The full text for all (H) Clauses and P phrases is given in Section 16.

2.2. Label elements

Specific marking of certain mixtures: See section 15 for labeling according to (T.C. 27092).

Labeling according to T.C 28848/2013:

Warning word (CLP): -

Harmony Statement (CLP) :

not applicable

Prevention Expressions (CLP): EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards

3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Materials

Not applicable

3.2. Mixture

| CHEMICAL NAME | CAS NO EC-NO INDEX NO | CLASSIFICATION | CONCENTRATION (% w/w) |
|-------------------|-----------------------------|----------------|---------------------------|
| PVC K-58 | | Not Classified | %62 |
| CAZN | | | %2,3 |
| CACO3 | | | %23 |
| ADAGAL | | | %3.8 |
| SOYA YAĞI | | | %1.6 |
| G60 | | | %0.4 |
| PE WAX | | | %0.3 |
| LUWAX OA2 | | | %0.4 |
| FACI L-107 | | | %0.3 |
| K-175 | | | %1.5 |
| K-445 | | | %11 |
| K-136 | | | %1.6 |
| KM-1 | | | %1.6 |
| BTA 731 | | | %1.6 |
| AZODICARBONAMID | | | %0.7 |
| SODIUMBICARBONATE | | | %0.5 |
| RAL 9005 | | | %4 |
| TI02 | | | %1.6 |
| OPTIC WHITENER | | | %0.4 |

Full Text For All (H) Clauses.

About the sequence: The data were last T.C and A.B. In accordance with the regulations.

PVC FOAM BOARD

Part I

SAFETY DATA SHEET

"Regulation on Safety Data Sheets on Hazardous Substances and Mixtures" and EC 1907/2006 (REACH) issued by the Ministry of Environment and Urbanization No. 29204 of 13 December 2014.

4 FIRST AID MEASURES

4.1. Explanation of first aid measures

BREATHING:

There is no known danger. However, if the person becomes ill, remove the person immediately to the open air. If discomfort persists consult doctor

SWALLOWING:

Do not let it puke. Rinse mouth immediately. For a few glasses of milk or water. Contact a doctor immediately

SKIN:

Remove the jumped or dirty suit immediately. Prevent reuse without cleaning dirty clothes.

EYES:

Immediately wash with eyewash keeping the eyelids open. If there is an uncomfortable development, consult a doctor. Keep pausing

4.2. Acute and delayed symptoms and effects

Breathing: Irritating to upper respiratory tract.

Swallowing: Nausea, vomiting.

Skin contact: In case of long-term contact, it may cause redness, irritation and skin dryness.

Eye contact: Irritation of eyes and mucous membranes.

4.3. First signs for medical intervention and special treatment

No specific treatment is offered. Treat according to symptoms.

5 FIRE PRECAUTIONS

5.1. Fire extinguisher

Extinguish with carbon dioxide, dry powder or water spray.

5.2. Specific losses arising from the substance or mixture

Special hazards

The product is not flammable, but follow the instructions below for any other reason.

5.3. Recommendations for fire fighting teams

Fight large or advanced fires from a safe distance or from a protected area. Remember that there is a risk of fire and explosion in the first place. Remember that there is a risk of formation of toxic and corrosive gasses.

In the event of a small fire, if the fire does not reach the explosive, remove the products from the area where the fire is spreading. Prevent the fire from reaching the product by using all possible fire fighting tools (water, existing fire-extinguishing materials).

Do not attempt to fight fires involving explosives. Evacuate entire personnel to a pre-determined safe zone. Protective equipment Wear full protective clothing. Use breathing apparatus with air in the fighting zone. Protective face mask, protective gloves and safety helmet.

6 ACCIDENT PREVENTION MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as shown in section 8 of this safety data sheet. Avoid contact with skin and eyes. Provide good ventilation.

6.2. Environmental Precautions

Do not pour into sewer, earth or waterways.

6.3. Methods and materials for preservation and cleaning

Install the necessary protective device. Ventilate. To put it in cups and securely close it. Place the wicket securely / securely.

6.4. References to other sections

See Section 8 for personal protection. See Section 11 for additional information on damage to health. See Section 13 for the disposal of waste.

7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Read the manufacturer's recommendations and follow them. Avoid contact with skin and eyes. Do not eat, drink or smoke during use. Consider the necessary chemical hygiene measures.

7.2. Conditions for safe storage, including disputes

Avoid prolonged direct contact with the bare food

7.3. Specific end-uses

The defined uses of this product are detailed in Section 1.2.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

8.2. Exposure controls

Personal Protective Equipment:

Process Conditions:

Eye wash area, provide safety shower.

Technical Measures:

Ensure proper ventilation. Pay attention to the exposure limits of the product and lower the risk of inhalation of dust. General and local exhaust ventilation with padding protection.

Respiratory protective measures:

Use suitable breathing protection. No need during daily handling and use.

Protection of hands:

Part I
SAFETY DATA SHEET

"Regulation on Safety Data Sheets on Hazardous Substances and Mixtures" and EC 1907/2006 (REACH) issued by the Ministry of Environment and Urbanization No. 29204 of 13 December 2014.

Use gloves made of nitrile rubber, PVA or Viton. Recommended gloves should be selected in consultation with the glove dispenser. The glove material may provide information on the permeability / degradation time of the glove material.

Eye Protection:

Protection glasses / face order is recommended.

Health Precautions:

DO NOT INSIDE SMOKING PLACES! Do not eat, drink or smoke during use. Separate detached clothes and wash before using again.

Skin protection: Wear gown or protective clothing in case of contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|---------------------------------|---------------------------------|
| VIEW | Solid |
| SMELL | Odourless |
| DENSITY | 42 gr/cm - 60 g/cm ³ |
| MELTING / FREEZING POINT | 180 °C |
| SELF-IGNITION TEMPERATURE | N/A |
| SOLUBILITY DESCRIPTION | N/A |
| VISCOSITY | N/A |
| FLASH POINT | N/A |
| BOILING POINT | 300 °C |
| STEAM PRESSURE | N/A |
| PH | N/A |
| VAPOUR PRESSURE | N/A |
| TOP EXPLOSION LIMIT | N/A |
| RESOLUTION INFORMATION IN WATER | CYANOACRYLATE |

9.2 Other informations

No information.

10 STABILITY AND REACTIVITY

10.1. Reaction

The product is stable under normal handling and storage conditions.

10.2. Chemical stability Avoid doing this:

Shock and physical damage. Contact with repellent.

10.3. Hazardous reaction possibility

No information.

10.4. Situations to avoid-

10.5. Substances to avoid-

10.6. Hazardous products-

11 TOXICOLOGY INFORMATION

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

12 ECOLOGICAL INFORMATION

12.1. toxicity

The substances in the product are not classified as dangerous for the environment. However, it is not possible to ignore the possibility that large quantities or frequent spills can damage the environment.

12.2. Persistence and degradability

There is no information on the biodegradability of the product.

PVC FOAM BOARD

Part I

SAFETY DATA SHEET

"Regulation on Safety Data Sheets on Hazardous Substances and Mixtures" and EC 1907/2006 (REACH) issued by the Ministry of Environment and Urbanization No. 29204 of 13 December 2014.

12.3. Potential for bioaccumulation

There is no data on biological accumulation.

12.4. Mobility in Soil

0.9% (below 1percent) in 216 hours absorbs water at the rate of

12.5. Results of PBT and vPvB evaluation

It does not contain any components that are evaluated as PBT and vPvB.

12.6. Other adverse effects

Aquatic life can be dangerous.

13 DISPOSAL INFORMATION

General information

Waste should be treated as control waste. As indicated by the local waste disposal authorities, licensed wastes are disposed of in accordance with the provisions of regulation 87/12028.

13.1. Waste treatment methods

Dispose of garbage and waste in accordance with local regulations. Contact specialist disposal companies

14 TRANSPORT INFORMATION

The product is not restricted as dangerous product in accordance with ADR, RID, IMDG and IATA Transport Regulations. There is no harm in transporting.

LABEL FOR TRANSPORT:

14.1. UN Number

GGVS, GGVE, ADR, RID

14.2. Proper UN transport name

Proper Shipping name

14.3. Transport hazard class (es)

ADR / RID / ADN

ADR Label NO.

IMDG

ICAO

Transport Labels

14.4. Packing group

Not applicable.

14.5. Environmental damage

No.

14.6. Special precautions for the user

Not applicable.

14.7. Public transport according to MARPOL 73/78 annex II and IBC code

It does not fall into the category of dangerous goods according to the transport regulations.

15 REGULATORY INFORMATION

Labeling (27092 T.C.)

National Regulations

- Regulation on Classification, Labeling and Packaging of Substances and Mixtures, No. 28848, dated 11 December 2013.
- T.C. Ministry of Environment and Forestry, Regulation on Classification, Packaging and Labeling of Hazardous Substances and Preparations dated 26 December 2008, No. 27092.
- "REGULATION ON SAFETY DATA SHEETS FOR HAZARDOUS SUBSTANCES AND MIXTURES" dated 13 December 2014 and numbered 29204 "
- Regulation on Health and Safety Measures in Working with Chemicals.
- Regulation on the Use of Personal Protective Equipment in Workplaces.
- Occupational Health and Safety Law No. 6331.
- Regulation on Control of Hazardous Wastes.

16 OTHER INFORMATIONS

Information Sources

This is arranged according to the information received from the GBF product owner.

Revision Statement Rev.

Certificate No. : TÜV/11.25.04

Certificate valid from: 08.01.2025

Handan KAVI - Certified Chemical Evaluation Specialist

Contact: 0532 477 64 38

New issue date 08.01.2022

Prepared on 08.01.2022

Trouble editing is 00

Warning word (CLP): -

Harmony Statement (CLP) :

not applicable

Handan KAVI

Sertifika No: TÜV/11.25.04

Kimyasal Değerlendirme Uzmanı

PVC FOAM BOARD

Part I

SAFETY DATA SHEET

"Regulation on Safety Data Sheets on Hazardous Substances and Mixtures" and EC 1907/2006 (REACH) issued by the Ministry of Environment and Urbanization No. 29204 of 13 December 2014.

Prevention Expressions (CLP): EUH210 Safety data sheet available on request.
EUH208 Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

ADDITIONAL INFO

This GBF is valid for up to 3 years in terms of legislative requirements. After this date, the new version which has been updated according to the new classification and labeling provisions must be used.

DISCLAIMER

This information relates only to a specific material, and should not be used in combination with any other material or in combination with any other material. The information provided in this document is accurate and reliable as of the date indicated, at the highest level of knowledge and opinion of the company. It is the user's own responsibility to be convinced of its suitability.

This information is based on our current knowledge and is intended to define the health, safety and environmental requirements of the product. For this reason, this information should not be construed as an assurance of any property of the product.